

W series Hospitality Pendant



W - Hospitality Pendant series




Description


W-series dimmable pendant fixtures
Decorative, colorful, unlimited design
possibility available in 4 contemporary
tints: Amber, Champagne, Clear, Steel Grey

LED Performance


CCT: 3000K
CRI: >80+ (90+ available)
LIFE: 80% of initial lumens after 30,000 hours
Warranty: 3 years limited warranty



W45



W30S




W30L


Technical Specifications

Operating Temperature: -20°~40°

Model	Input	Output	LED	LEDs	Power Cons.	Color	CCT	FLUX
W45	120V Dimmable	DC20~26V/240mA*2	OSRAM 5630	45	52W	Clear	2800K	4200lm
W30S	120V Dimmable	DC20~26V/240mA*2	OSRAM 5630	30	34W	Frosted Champagne	2800K	2800lm
W30L	120V Dimmable	DC20~26V/240mA*2	OSRAM 5630	30	34W	Gray	2800K	2800lm



W - Hospitality wall sconce series






Description

W-series dimmable sconce fixtures
Decorative, colorful, unlimited design
possibility available in 4 contemporary
tints: Amber, Champagne, Clear, Steel Grey

LED Performance

CCT: 3000K
CRI: >80+ (90+ available)
LIFE: 80% of initial lumens after 30,000 hours
Warranty: 3 years limited warranty




Technical Specifications

Operating Temperature: -20°~40°

Model	Input	Output	LED	LEDs	Power Cons.	Color	CCT	FLUX
WL-C28	120V Dimmable	DC20~26V/240mA*2	OSRAM 5630	28	13.24W	Clear	2800K	980lm
WL-C100 WL-C200	120V 60Hz	DC12V	EDISON 3528	21	3W	Frosted Champagne	3000K	250lm
WL-C300 WL-C400	120V 60Hz	DC12V	EDISON 3528	21	3W	Gray	3000K	250lm



W - Hospitality wall sconce series










Description

W-series dimmable sconce fixtures
Decorative, colorful, unlimited design
possibility available in 4 contemporary
tints: Amber, Champagne, Clear, Steel Grey

LED Performance


CCT: 3000K
CRI: >80+ (90+ available)
LIFE: 80% of initial lumens after 30,000 hours
Warranty: 3 years limited warranty



Technical Specifications

Operating Temperature: -20°~40°

Model	Input	Output	LED	LEDs	Power Cons.	Color	CCT	FLUX
WL-410 WL-420	120V 60Hz	DC24V	EDISON 3528	42	3W	Clear	3000K	250lm
WL-510	120V 60Hz	DC24V	EDISON 3528	42	6W		Frosted	3000K
WL-520 WL-530	120V 60Hz	DC12V	EDISON 3528	42	3W	Champagne	3000K	250lm
WL-R100 WL-R200 WL-R300	120V 60Hz	DC24V	EDISON 3528	84	6W		Gray	3000K



W - Hospitality wall sconce series





Description

W-series dimmable sconce fixtures
 Decorative, colorful, unlimited design
 possibility available in 4 contemporary
 tints: Amber, Champagne, Clear, Steel Grey

LED Performance

CCT: 3000K
 CRI: >80+ (90+ available)
 LIFE: 80% of initial lumens after 30,000 hours
 Warranty: 3 years limited warranty



Technical Specifications

Operating Temperature: -20°~40°

Model	Input	Output	LED	LEDs	Power Cons.	Color	CCT	FLUX
WL-610	120V 60Hz	DC24V	EDISON 3528	42	3W	Clear	3000K	250lm
WL-620	120V 60Hz	DC24V	EDISON 3528	84	6W	Frosted	3000K	500lm
WL-630	120V 60Hz	DC24V	EDISON 3528	126	9W	Champagne	3000K	750lm
WL-640	120V 60Hz	DC24V	EDISON 3528	168	12W	Gray	3000K	1000lm



W - Hospitality wall sconce series





NEW

Description

W-series dimmable sconce fixtures
Decorative, colorful, unlimited design
possibility available in 4 contemporary
tints: Amber, Champagne, Clear, Steel Grey

LED Performance

CCT: 3000K
CRI: >80+ (90+ available)
LIFE: 80% of initial lumens after 30,000 hours
Warranty: 3 years limited warranty



Technical Specifications

Operating Temperature: -20°~40°

Model	Input	Output	LED	LEDs	Power Cons.	Color	CCT	FLUX
WL-710	120V 60Hz	DC24V	EDISON 3528	42	3W	Clear Frosted Champagne Gray	3000K	250lm
WL-720	120V 60Hz	DC24V	EDISON 3528	84	6W		3000K	500lm
WL-730	120V 60Hz	DC24V	EDISON 3528	126	9W		3000K	750lm
WL-740	120V 60Hz	DC24V	EDISON 3528	168	12W		3000K	1000lm

